

**In this issue:**

HIV linkages with sexual and reproductive health

WHO/UNFPA and Stakeholders' Technical Consultation on Programme Considerations for Postpartum Family Planning

HRP at FIGO

New publications

Contact us and subscriptions

## HIV Linkages and Sexual and Reproductive Health

Strengthening linkages between sexual and reproductive health (SRH) and HIV interventions provides an unparalleled opportunity to provide better health care for all. The rationale is indisputable – the majority of cases of HIV transmission are sexually transmitted or are associated with pregnancy, childbirth and breastfeeding; and the risk of HIV transmission and acquisition can be further increased due to the presence of certain sexually transmitted infections (STIs). In view of the current evidence regarding the feasibility, acceptability and cost-effectiveness of strengthening SRH/HIV linkages, there is general acceptance that linkages between SRH- and HIV-related policies and programmes would lead to a number of mutually beneficial results at the international, regional and national levels.

RHR/HRP took the leadership by establishing the Interagency Working Group on SRH/HIV linkages in 2004, bringing together a number of the key partners working in this field. The Working Group is now co-convened by UNFPA and IPPF.

## UNAIDS' commitment to HRP

**by Paul De Lay, Deputy Executive Director, Programme, UNAIDS**

At the United Nations High Level Meeting on HIV/AIDS in June 2011, all Member States committed to a vision of eliminating new HIV infections among children and substantially reducing maternal AIDS-related deaths, by 2015. We know that antiretroviral drugs reduce HIV transmission from mother to the infant by as much as 98 per cent, and for the first time provide a way to make breastfeeding among women living with HIV safer. Exciting recent research on both treatment and prevention has shown that antiretroviral treatment can also reduce by 96 per cent the risk of HIV transmission within couples in which one partner is living with HIV and the other uninfected, opening a new frontier in the HIV response.

Countries have adopted a comprehensive approach to the prevention of mother-to-child transmission of HIV, embracing four key elements, including prevention of HIV infection among women of reproductive age, prevention of unintended pregnancies, use of anti-retrovirals to prevent transmission from mother-to-child, and on-going treatment for women, their children and partners, who acquire HIV.

UNAIDS' long term vision of zero new HIV infections, zero discrimination and zero AIDS-related deaths is dependent on innovation and research. Scientific investigation on how to expand access to services, how to achieve efficiencies in quality service delivery, and how to reduce discrimination, have yielded significant impact on the AIDS epidemic and have improved the quality of life of millions of people. However, much more needs to be done.

UNAIDS congratulates HRP on prioritizing a focus on strengthening linkages between sexual and reproductive health and HIV, which is essential to the global goal of ending new paediatric infections. It commends HRP on its other landmark research efforts, including the recent work on hormonal contraceptive use and HIV, its ground-breaking research on drug combinations effective for PMTCT, its research on pregnancy and safe motherhood, its pioneering work on surveillance and management of sexually transmitted infections, particularly efforts to control the spread and impact of antimicrobial resistance in gonorrhoea and its emphasis on reproductive rights in the context of sexual and reproductive health. These efforts lead to reduced risk of mortality and morbidity for mothers, fathers and children.

UNAIDS is particularly committed to working with HRP to enhance HIV service delivery integration, including identification and dissemination of people-centred good practices. It is also committed to innovations in health systems arising from the research, including the engagement of communities in service provision and demand creation, and service decentralization.

---

### **Microbicides – RHR’s leadership role in preparing for introduction of 1% tenofovir gel and other antiretroviral-based microbicide products**

The CAPRISA 004 study published in July 2010 was the first to show that a microbicide gel containing the antiretroviral drug tenofovir could reduce the risk of HIV infection in women. WHO/RHR convened a consensus meeting in August 2010 following publication of the results of the CAPRISA 004 study to agree on key priority steps to confirm the safety and effectiveness of 1% tenofovir gel in other populations and settings. This led to the development and subsequent implementation of the FACTS001 Phase 3 confirmatory study in South Africa. WHO/RHR, in partnership with UNAIDS, convened a Tenofovir Gel Implementation Meeting in South Africa in June 2011 to identify priority actions to ensure rapid availability of 1% tenofovir gel following licensure and to inform normative guidance on use of the gel in high HIV incidence countries and settings. Outcomes included a matrix of key policy questions, mapping the path to licensure and identification of research gaps for the introduction, marketing, promotion, distribution and programming of tenofovir gel through intensive discussion with stakeholders and product developers. Key background papers and presentations were commissioned on drug resistance, insights from the introduction of other products, impact modeling and development of a costing framework, demand forecasting, HIV testing and retesting strategies, and the processes for development of normative guidance.

WHO/RHR manages the Secretariat of the Tenofovir Gel Implementation Steering Committee. In November 2011, the first meeting of this Steering Committee was convened to coordinate priority activities of different players to ensure rapid and sustainable availability of the gel. For instance, the November 2011 meeting was held at the same time as the release of the Microbicides Trial Network VOICE results pertaining to a daily tenofovir gel regimen. A subsequent meeting of the Steering Committee was held in July 2012 in Washington, DC following the International AIDS Conference. WHO/RHR also participated in the meeting convened by the Population Council in June 2012 to develop a prioritized agenda to support introduction of antiretroviral-based gels and rings for women at risk of HIV infection. In addition, regular contacts have been maintained with the WHO/HIV Department to coordinate development of oral (pre-exposure prophylaxis)

PrEP guidance and demonstration projects and ensure that the experience can be applied effectively to topical PrEP. WHO/RHR will prepare draft normative guidance in anticipation of the first regulatory decision on 1% tenofovir gel (expected in early 2016), so that WHO recommendations can be issued soon afterwards.

### **The *Rapid Assessment Tool for SRH and HIV Linkages* –catalyst for strengthening action**

In 2008, WHO/RHR, in collaboration with IPPF, UNFPA, UNAIDS, GNP+, ICW and Young Positives, developed the *Rapid Assessment Tool for Sexual and Reproductive Health and HIV Linkages* to: assess current national HIV and SRH bi-directional linkages at the policy, systems and service delivery levels; identify gaps; and contribute to the development of country-specific action plans. Following the initial implementation of the Assessment Tool in Botswana by RHR, national assessments have now been completed by over 36 countries. See

<http://www.who.int/reproductivehealth/topics/linkages/en/index.html>.

The initial results of the implementation of the Assessment Tool show that its implementation has been very beneficial in advancing the SRH and HIV linkages agenda in each country. For instance, in Belize, the assessment provided objective data on the SRH and HIV linkages that are being used to improve the package of services, management of programmes and multi-sectoral coordination. In Tanzania, it has resulted in a systematic approach to SRH and HIV linkages through the establishment of a technical integration working group that has considerably facilitated and sustained the linkages agenda. The implementation of the Assessment Tool has, in general, also facilitated dialogue among varied stakeholders, including people living with HIV, maternal and child health advocates and key populations.

Structured interviews are currently being conducted with representatives from a number of countries to assess the degree to which the Assessment Tool has supported the SRH and HIV linkages agenda in each country. The impact review is also looking to examine the extent to which the Assessment Tool has been both a *means* by which SRH and HIV linkages are improved as well as an *end* in catalyzing partnerships and more collaborative working between ministries, civil society partners and other stakeholders in SRH and HIV issues.

Country summaries highlighting the process, results and recommendations from implementing the *Rapid Assessment Tool for SRH and HIV linkages* are also available. See

<http://www.who.int/reproductivehealth/publications/rtis/91825/en/index.html>

### **Male involvement in the elimination of mother-to-child transmission of HIV**

Much of the research in the prevention of mother-to-child transmission of HIV (PMTCT) is focused on the reproductive intentions of HIV-positive women. In the context of sub-Saharan Africa, in particular, despite overwhelmingly positive attitudes toward PMTCT among men, their engagement in PMTCT efforts remains very low. Motivated by the need to address this gap and the publication of the *Global Plan towards the Elimination of New HIV Infections among Children by 2015, and Keeping their Mothers Alive* by UNAIDS and partners, RHR co-hosted a consultation with the Government of Rwanda and

UNAIDS on the engagement of men in PMTCT (24-26 August, 2011, Kigali). Some of the key aspects of strengthening male involvement in PMTCT were developed into a background paper shared at the April 2012 Interagency Task Team (IATT) on the prevention of HIV infection in pregnant women, mothers and their children. The paper highlighted some of the key gaps from the 2006 SRH/HIV systematic review and builds on global and regional efforts to meaningfully integrate men's participation into health services and programmes<sup>2</sup>.

In early 2013, RHR will co-host with the National Institute for Research in Reproductive Health and the Indian Council of Medical Research, a workshop on *Development of Information, Education and Communication Material on Enhancing Male Involvement in Sexual and Reproductive Health* and present some of the results of a systematic review on this topic being done in collaboration with the WHO Department of HIV/AIDS.

**For more information, please see:**

Sub-Regional Consultation to Discuss Strengthening Male Involvement in the Elimination of Mother-to-Child Transmission of HIV, Kigali, Rwanda, 24-26 August 2011

[http://www.who.int/entity/reproductivehealth/topics/linkages/male\\_involvement\\_PMTCT.pdf](http://www.who.int/entity/reproductivehealth/topics/linkages/male_involvement_PMTCT.pdf)

Male involvement in PMTCT

<http://www.who.int/reproductivehealth/publications/rtis/9789241503679/en/index.html>

---

**Multipurpose Prevention technologies – MPTs – HRP's role in women-centred prevention**

Sexually active women can be exposed to unintended pregnancy and sexually transmitted infections (STIs), including HIV. Unintended or mistimed pregnancy is associated with higher rates of maternal morbidity and mortality than well-spaced pregnancies. STIs, including HIV, in addition to causing severe pain and discomfort, can result in infertility, cancer or be fatal. STIs, as well as persistent reproductive tract infections, such as bacterial vaginosis, can also augment the risk of acquiring and transmitting HIV infection.

An MPT is defined as a single product intentionally designed to prevent a combination of unintended pregnancy, HIV, and/or other STIs. Male and female condoms are the only true MPT products currently available; first-generation MPTs--including combination barrier devices, vaginal rings, topical formulations, and long-acting injectables--are in development. RHR is collaborating with the Initiative for Multipurpose Prevention Technologies (IMPT) which has convened several meetings to review the need and demand for new multipurpose prevention methods, reviewed the regulatory pathways and challenges for approval of multi-indication products, commissioned a mapping of current work related to MPTs, defined target product profiles for new products, and is fostering collaboration and raising awareness through a series of workshops in developing countries. WHO/RHR contributed to the Global Forum on Multipurpose Prevention Technologies for Reproductive Health in London in January 2012, and is launching a complementary initiative to leverage funding from European donors to strengthen developing country clinical testing networks and national regulatory capacity to oversee research into products intended to simultaneously prevent several threats to reproductive health. In June 2012, RHR held a small expert meeting to assess

WHO's role in the development of MPTs and will participate in the MPT Stakeholder Meeting in October 2012 in Washington DC.

Next generation HIV prevention products that additionally prevent pregnancy and/or other STIs are currently in early stage clinical testing. WHO/RHR will support the work on MPTs by strengthening national regulatory body capacity to facilitate review and approval of the research, strengthen developing country research network collaboration to participate in clinical evaluation of promising products, and convene a consultation on how to coordinate and raise specified funding on promising, but underfunded leads.

---

### **The contribution of the Global Fund HIV/AIDS grants to the integration of SRH/HIV services in Ethiopia: results from a resource-tracking case-study**

The Global Fund to fight AIDS, Tuberculosis and Malaria (Global Fund) is one of the largest donors for HIV/AIDS programmes worldwide. As such, it has a crucial, catalytic role to play in helping countries to strengthen linkages between sexual and reproductive health services and HIV interventions. The Global Fund encourages applicants to address SRH integration, explicitly in HIV/AIDS grant proposals as shown in the reviews undertaken by RHR of the inclusion of SRH, STI and PMTCT components within HIV proposals approved by the Global Fund from Rounds 1-9.

In an attempt to see the contribution of Global Fund grants to SRH/HIV integration, a study was conducted in Ethiopia, where, in the period 2008-2010, two principal Global Fund HIV/AIDS grants were approved from Round 7 and Round 2. Ethiopia has utilized more than USD38 million from 2 GF HIV/AIDS grants to advance integration of SRH-HIV/AIDS services in the period January 2009-June 2011.

Expenditure analysis indicates Global Fund grants provide critical investment for all integration linkage areas, including: antenatal care (ANC), PMTCT, HIV counselling and testing (HCT), and condom procurement. The grants also support health systems strengthening (HSS) investments that enable integration, including information systems, human resources, drug management systems, and infrastructure. All of expenditure (USD11.6 million USD) by the Round 7 primary recipients was directly or indirectly integration-related, with 41% for PMTCT, and 59% in HSS categories. Eighty-nine per cent of the rolling continuation channel expenditures (USD26.8 million ) were integration-related, 27% directly (14% on HCT and 7% on behaviour change communication), and 62% indirectly (including 56% on infrastructure, in part for health facility upgrades to enable integrated service provision).

Facility observations showed that disaggregated data were not routinely collected that could be used for expenditure allocation, particularly for PMTCT and FP activities. Outcome data for the cascade of PMTCT services is not routinely collected at any facility, nor in the current form of the national HMIS (write in full if first time mentioned). In addition, SRH-HIV/AIDS integration models varied across facilities, depending on the overall patient volume, staffing levels, and the size and layout of the facility itself.

Several challenges were involved in tracking resources through to expenditures on specific types of activities, in particular variability in the availability of expenditure data by activity; however, this study contributes a

methodology for addressing this challenge in understanding the impact of Global Fund financial support on SRH-HIV/AIDS integration.

---

### **Pregnancy decisions of women living with HIV - RHR's continuing role to support SRH and human rights of people living with HIV**

The unique sexual and reproductive health needs and concerns of people living with HIV are often overlooked or met with rights violations, stigma and discrimination. RHR is working with networks of people living with HIV to support policy and programmatic guidance in this area. However, research specifically on HIV and pregnancy intentions has received modest attention. Given recent scholarship and international policy debates exploring SRH/HIV linkages, WHO/RHR and the Group on Reproductive Health and Rights (GRHR) at the Harvard Center for Population and Development Studies, have collaborated to determine existing gaps in research and facilitate the development of a research agenda in this critical area. A conference was organized in 2010 on '*Pregnancy Intentions of HIV-Infected Women: Forwarding the Research Agenda*' and the discussions arising from this conference have resulted in a range of evidence-based research papers compiled into a supplement in *Reproductive Matters Supplement Volume 20, Number 39*, which was released at the International AIDS Conference in July 2012.

---

### **WHO/RHR takes action to mitigate the implications of widespread resistant *N. Gonorrhoeae***

In 2008, in adults between the ages of 15 and 49, an estimated 106.1 million new cases of *Neisseria gonorrhoeae* (*N. gonorrhoeae*) occurred annually worldwide, making this one of the most prevalent curable STIs.

Gonorrhoea was among the easiest of the sexually transmitted pathogens to cure since the advent of the antibiotic era. However, *N. gonorrhoeae* has developed a number of mechanisms for antimicrobial resistance. The result is that only third-generation cephalosporins now remain as a recommended first line treatment regimen for gonococcal infections. However, consistent with the history of the gonococcus, resistance to this class of antimicrobials has already emerged and numerous cases of treatment failures have already been reported worldwide.

To prevent a public health catastrophe, action should be taken now to enhance prevention interventions against STIs as a whole, but gonorrhoea in particular, and current treatment options should be prescribed rationally and diligently to contain the further spread of resistant pathogens. Surveillance systems for sexually transmitted infections should be strengthened at national level and monitoring of antimicrobial resistance in *N. gonorrhoeae* should be heightened at the national and global levels.

To facilitate such action, WHO has published the "*Global Action Plan to Control the Spread and Impact of Antimicrobial Resistance in Neisseria gonorrhoeae*". The high-level launch of this document and the subsequent wide media coverage has led to many countries changing their treatment guidelines, including the UK and the USA. RHR is continuing to be actively

involved in the implementation of a public health response to mitigate the impact of cephalosporin-resistant *N. gonorrhoeae* on sexual and reproductive health morbidity.

<http://www.who.int/reproductivehealth/publications/rtis/9789241503501/en/index.html>

### **RHR co-sponsored the Integration for Impact Conference on SRH/HIV 12-14 September, 2012 in Nairobi Kenya**

<http://integration2012.org>

Integrating different health services into a single delivery setting, which include programmes for HIV, family planning (FP), and maternal, neonatal, and child health (MNCH), would address patients' multiple needs at once, and may enhance programme effectiveness and efficiency. The *Integration for Impact* was an international conference devoted to this topic, and brought together key stakeholders from sub-Saharan African countries with a high burden of HIV, unmet need for FP, and high child and maternal morbidity/mortality to:

- **Present the latest research findings** on the impact of integrating HIV and reproductive health services including: family planning, maternal and child health, and STI prevention and cervical cancer screening;
- **Identify research priorities** for expanding the evidence base on integration; and
- **Lay out strategies** for strengthening integration policies and translating research into practice.

Attendees included representatives from ministries of health, nongovernmental organizations, academic institutions, as well as people living with HIV/AIDS, policy experts, donor organizations, and members of the media.

Although HIV/AIDS prevention and care programmes are expanding in sub-Saharan Africa, in most settings these services are offered in isolation from SRH services and FP services. Programme managers and policy-makers have begun to recognize the missed opportunities and inefficiencies created by these vertical" approaches. Experiences in some sub-Saharan African settings suggest that integrating reproductive health and HIV services may improve access to contraception for HIV-infected individuals, increase uptake of prevention of mother-to-child transmission services and cervical cancer screening, and lead to earlier initiation and sustained use of anti-retroviral therapy.

Despite lack of rigorous evidence, the integration of SRH /FP/HIV services has advanced with support from governments, international organizations, and donors. *Integration for Impact I* provided a picture of the current status of MNCH/FP/HIV integration in sub-Saharan Africa, helping policy-makers, programme implementers, donors, and researchers to understand the current developments, practices, and latest evidence on integration.

## **HRP/RHR publications on HIV linkages with SRH**

### **HIV Linkages with SRH Resource Pack**

<http://www.srhivlinkages.org/en/index.html>

This resource pack aims to build a common understanding of sexual and reproductive health (SRH) and HIV linkages and provide an overview of the current status of SRH and HIV linkages among key partners. It contains useful resources for organizations advocating for this issue.

### **Country case-studies**

[http://www.who.int/reproductivehealth/topics/linkages/case\\_studies/en/index.html](http://www.who.int/reproductivehealth/topics/linkages/case_studies/en/index.html)

These case-studies demonstrate the two-way flow between sexual and reproductive health and HIV/AIDS health-care services and reflect the diversity of integration models. They provide a brief overview that shows why the decision to integrate was taken, by whom, and what actions were needed to make it happen. The intention is to share some of the experiences and lessons learnt that may be useful to others who wish to consider actions to strengthen this integration.

RHR/HRP's HIV linkages with sexual and reproductive health focal point:  
Dr Manjula Lusti-Narasimhan  
Email: [lustinarasimhanm@who.int](mailto:lustinarasimhanm@who.int).

---

## **WHO/UNFPA and Stakeholders' Technical Consultation on Programme Considerations for Postpartum Family Planning**

Technical consultation, World Health Organization, Geneva: 10 -12 September, 2012

WHO convened a Technical Consultation on 10 – 12 September 2012 with the objective of developing a practical resource guide for programme managers, policy-makers, and development partners providing family planning services, to use when designing programmes to reduce unmet need for family planning among women during the 12 months after delivery. The consultation brought together a multidisciplinary group with expertise and experience in designing and implementing postpartum family planning programmes, as well as experts in family planning service delivery. The consultation addressed the unique issues that need to be taken into consideration, given varying settings and contexts, when developing programmes and interventions aiming to expand access to family planning services for women both immediately postpartum and during an extended 12 month postpartum period. Special attention was given to family planning service integration. A selection of strategies to support comprehensive planning, as well as integration of services into existing services will be included in the guide. This guide will apply WHO recommendations on expanding access to family planning for women during the year postpartum, which were issued during the London Family Planning Summit in July 2012.

## HRP at FIGO: Programme highlights

The Department of Reproductive Health and Research has a busy schedule at the upcoming FIGO congress in Rome. In addition to pre-congress activities courses and technical exchanges, we will be chairing and participating in panels in numerous sessions and symposia. We will also be present full time at our booth in the exhibition hall where we look forward to meeting you.

**FIGO World Congress, Rome, Italy  
7-12 October 2012**

**For more information:**

<http://www.figo2012.org/home/>

**For further information, also visit our website**

<http://www.who.int/reproductivehealth/news/Programme.pdf>

---

### Friday and Saturday 5-6

WHO/HRP co-convenor of Alliance for Women's Health pre-congress workshop: Today's evidence-tomorrow's agenda: Implementation of strategies to improve global reproductive , maternal and newborn health

Co-chairs: Dr Mike Mbizvo (WHO) Dr Dorothy Shaw (FIGO)

Moderator: Jeff Spieler (USAID)

### Sunday 7 October

Safe Abortion Care and Advocacy: A Global Technical Exchange  
Sheraton Golf Parco Medici Hotel  
Viale Salvatore Rebecchini, 39 - 11:00

Pre-congress course : Infertility Diagnosis and Treatment in Low Resource Settings : FIGO Fertility Tool Box  
Venue: Hospital G. B Grassi, Via Gian Carlo Passeroni  
28, Ostia Lido

WHO Perspectives: Addressing Universal Access to Fertility Services - 08:50 – 09:20

HIV and Fertility Management - 13:00 – 13:40

WHO Infertility Evidence and Guidelines Project - 13:40 – 14:30

Should infertility be treated in the primary healthcare setting in low-resource settings? - 15:30-17:00

Opening Ceremony  
Hall 8 - 18:00 – 19:30

Opening Ceremony Reception  
Exhibition Hall 7 - 19:30– 21:00

## **Monday 8 October**

New FIGO guidelines on female contraceptive sterilization and informed consent: How to comply  
Hall 9A - 08:00 – 09:30

## **Tuesday 9 October**

Improving data on maternal causes of death and revisions of the International Statistical Classification of Diseases and Related Health Problems (ICD)  
Hall 8 - 13:45 – 15:15

Prioritization of global guidelines for diagnosis and management of infertility care. Audience consensus and discussion  
Hall 9A - 15:30 – 17:00

---

## **Wednesday 10 October**

Simplified WHO decision-making tool and counselling guide on family planning for community health workers and their clients  
Room Livia (L) Hall 10 - 08:00 – 09:00

Misoprostol for the prevention & treatment of postpartum haemorrhage: The clinical evidence and international recommendations  
Hortensia (H) Hall 10 - 08:00 – 09:30

Maternal mortality in 2012 : Progress or regress  
Room B (Baebiana) Hall 10 - 08:00 – 09:30

Management of Infertility in low-resource settings  
Hall 9B - 09:55 – 11:25

40 years of innovation in reproductive health: the UNDP, UNFPA, WHO, World Bank Special Programme for Research, Development and Research Training in Human Reproduction (HRP)  
Hall 9A - 15:30 – 17:00

## **Thursday 11 October**

Cervical cancer prevention and control: Towards the future  
Hall 9A - 08:00 – 09:30

Controversies in reproductive health policies in Africa (ReproNet Africa Session)  
Room B (Baebiana) Hall 10 - 8:00 – 9:30

Developing a Mobile Phone application for WHO's Medical Eligibility Criteria for Contraceptive Use guideline.  
Room Niside (N) Hall 10 - 08:00 – 09:30

Optimizing the delivery of key maternal and newborn health interventions through task shifting  
Room Baebiana (B) Hall 10 - 09:55 – 11:30

Updating family planning information through standardized training materials  
Hall 9A - 09:55 – 11:25

Pilot Edition of the Safe Childbirth Checklist  
Hall 8 - 12:30

Investing in dual elimination of mother to child transmission of HIV and syphilis  
Room Aurelia (A) Hall 10. - 13:45 – 15:15

WHO symposium on gynaecological complications following female genital mutilation and their management  
Room Iustina (I) Hall 10 - 13:45 – 15:15

Visual inspection with acetic acid for prevention of cervical cancer  
Room B (Baebiana) Hall10 - 15:30 – 15:55

Saving mothers' lives; transforming strategy into action. Seminar presented by the Institute Of Global Health Innovation, Imperial College, London, UK  
Hall 9 B - 15:30 – 17:00

### **Friday 12 October**

Women's health, human rights, and abortion: new guidance from the World Health Organization  
Room Ottavia (O) Hall 10 - 09:55 – 11:25

---

### **New publications**

For a comprehensive list of all HRP/RHR publications since July 2012, please see: <http://www.who.int/reproductivehealth/news/en/index.html>

Some recent highlights:

*A multi-country study on gender, sexuality and vaginal practices: Implications for sexual health*

[http://apps.who.int/iris/bitstream/10665/75182/1/WHO\\_RHR\\_HRP\\_12.25\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/75182/1/WHO_RHR_HRP_12.25_eng.pdf)

*Prevention of cervical cancer through screening using visual inspection with acetic acid (VIA) and treatment with cryotherapy*

<http://www.who.int/reproductivehealth/publications/cancers/9789241503860/en/index.html>

*Women, abortion and the new technical and policy guidance from WHO*

<http://www.who.int/bulletin/volumes/90/9/12-107144.pdf>

*Global incidence and prevalence of selected curable sexually transmitted infections – 2008*

<http://www.who.int/reproductivehealth/publications/rtis/stisestimates/en/index.html>

## Contact us and subscriptions

With *HRP/RHR News* we aim to strengthen communication with our partners, and, together continue to advocate for improving sexual and reproductive health and the work of HRP. We invite you to send us any contributions, observations or suggestions that you may have in support of this objective. In this regard, we welcome suggestions from members of our advisory bodies, our donors and potential donors.

Please note that all HRP's work described herein depends on earmarked or specified voluntary funding to HRP as a cosponsored special programme, and also the support we receive to support our work in programme development in reproductive health. We appreciate your continued financial support.

### **Mailing address:**

Department of Reproductive Health and Research  
(includes HRP – the UNDP/UNFPA/WHO/World Bank Special Programme of Research, Development and Research Training in Human Reproduction)  
World Health Organization  
Avenue Appia, 20  
1211 Geneva 27  
Switzerland

**Suggestions:** [HrpRhrNews@who.int](mailto:HrpRhrNews@who.int)

**Visit:** [www.who.int/reproductivehealth](http://www.who.int/reproductivehealth)