

## Verónica Reyes

### Publicaciones

1. Breast-feeding duration and growth of fully breast-fed infants in a poor urban Chilean population”, S. Díaz, C. Herreros, R. Aravena, M.E. Casado, V.Reyes and V. Schiappacasse, *Am. J. Clin. Nutr.* 62:371-376, 1995.
2. “Bone turnover and density in healthy women during breastfeeding and after weaning”, J.M. López, G. González, V. Reyes, C. Campino and S. Díaz. *Osteoporosis Int.* 6:153-159, 1996.
3. “Fertility regulation in nursing women IX. Contraceptive performance, duration of lactation, infant growth, and bleeding patterns during use of progesterone vaginal rings, progestin-only pills, Norplant® implants, and Copper T 380-A intrauterine devices. S. Díaz, A. Zepeda, X. Maturana, M.V. Reyes, P. Miranda, M.E. Casado, O. Peralta and H.B. Croxatto. *Contraception* 56:223-232, 1997.
4. “Crecimiento de los niños según la forma de amamantar en una población chilena urbana seleccionada”. M.E. Casado, M.V.Reyes, V. Schiappacasse, P. Miranda, R. Aravena, C. Herreros, G. Juez, S. Díaz. *Rev. Chil. Pediatr.* 69:8-15, 1998.
5. “Norplant® implants and progesterone vaginal rings do not affect maternal bone turnover and density during lactation and after weaning”. S. Díaz, M.V. Reyes, A. Zepeda, G. B. González, J.M. López, C. Campino and H.B. Croxatto. *Hum. Reprod.* 14:2499-2505, 1999.
6. “Contraceptive efficacy and clinical performance of Nestorone implants in postpartum women”. M.R. Massai, S. Díaz, E. Quinteros, M.V. Reyes, C. Herreros, A. Zepeda, H.B. Croxatto, A.J. Moo-Young. *Contraception* 64:369-376, 2001.
7. “Two-year performance of a Nestorone®-releasing contraceptive implant: a three-center study of 300 women”. I. Sivin, H. Croxatto, L. Bahamondes, V. Brache, F. Alvarez, R. Massai, J. Schechter, S. Ranta, N. Kumar, E. Wu, A.S. Tejada, V. Reyes, E. Travers, A. Allen, A. Moo-Young. *Contraception* 69:137-144, 2004.
8. “Extended use of a progesterone- releasing vaginal ring in nursing women: a phase II clinical trial” Rebeca Massai, Eliana Quinteros, María Verónica Reyes, Roxana Caviedes, Ana Zepeda, Juan Carlos Montero, Horacio B. Croxatto. *Contraception* 72(2005) 352-357
9. “Preventing copper intrauterine device removals due to side effects among first-time users: randomized trial to study the effect of prophylactic ibuprofen” David Hubacher, Verónica Reyes, Sonia Lillo, Bosny Pierre-Louis, Ana Zepeda, Pai-Lien Chen and Horacio Croxatto. *Hum. Reprod.* Advance Access published February 16, 2006.
10. “Does meloxicam increase the incidence of anovulation induced by single administration of levonorgestrel in emergency contraception? A pilot study. M.R.Massai; M.L. Forcelledo; V. Brache; A. S. Tejada; A.M. Salvatierra; M.V.Reyes; F. Alvarez; A. Faundez; H.B. Croxatto. *Human Reproduction* 2006; doi: 10.1093/ Hum. Reprod./ del369.

11. "Pain from copper intrauterine device insertion: Randomized trial of prophylactic ibuprofen." David Hubacher, PhD, Verónica Reyes, RN, Sonia Lillo, RN, Ana Zepeda, PhD, Pai-Lien Chen, PhD, Horacio Croxatto, MD. *American Journal of Obstetrics and Gynecology*(2006)195, 1272-7.
12. "Contraceptive efficacy of emergency contraception with levonorgestrel given before or after ovulation" Gabriela Noé, Horacio B. Croxatto; Ana María Salvatierra, Verónica Reyes, Claudio Villarroel, Carla Muñoz, Gabriela Morales, Anita Retamales. *Contraception* 81(5): 414-420, 2010.
13. "Effects of a novel estrogen-free, progesterone receptor modulator contraceptive vaginal ring on inhibition of ovulation, bleeding patterns and endometrium in normal women" Vivian Brache, Regine Sitruk-Ware, Alistair Williams, Diane Blithe, Horacio Croxatto, Narender Kumar, Yun-Yen Tsong, Irving Sivin, Anita Nath, Heather Sussman, Leila Cochon, María José Miranda, Verónica Reyes, Anibal Faúndes, Daniel Mishell Jr. *Contraception* 85: 480-488, 2012